

# KENYA FORESTRY RESEARCH INSTITUTE



Ref: KEFRI/AD/SD/VOL.XI (498)

7<sup>th</sup> JANUARY, 2022

TO ALL TENDERERS

Dear all,

## CLARIFICATIONS No. 1

The Kenya Forestry Research Institute (KEFRI) makes the below listed clarifications to the tender advertised on MyGov, [www.mygov.go.ke](http://www.mygov.go.ke) - Issue No. 25.2021 - 2022 which appeared on the Daily Nation Newspaper, Tuesday, 21<sup>st</sup> December, 2021.

**TENDER NO:** KEFRI/ONT/OO8/2021 – 2022

**TENDER TITLE:** SUPPLY, INSTALLATION & TESTING OF SOFTWARE-DEFINED WIDE AREA NETWORK (SD-WAN) AND ASSOCIATED ACCESSORIES AT KEFRI HEADQUATERS

**CLARIFICATION NO. 1 - CLARIFICATION RECEIVED FROM INTERESTED APPLICANTS/TENDERERS THROUGH EMAIL ADDRESS: [tenders@kefri.org](mailto:tenders@kefri.org) AS AT 5<sup>th</sup> JANUARY, 2022**

No	Bidders Question	KEFRI Clarification
1	Point 1.1 on the technical requirements for the DC firewall, the firewall throughput required is 2 Gbps while in the Branch Requirement section the requested firewall throughput is 10 Gbps, based on the other technical requirements i.e. Enterprise/Production IPS Throughput and Enterprise/Production Threat Protection Throughput it's clear that the DC firewall has the higher throughput	<b>Yes the Branches will be 1 Gbps</b>

	<p>requirement. Does this mean the 10Gbps firewall throughput was a typo for 1 Gbps?</p> <p>On the Branch devices under the Interfaces (Page 96) is it a must for the devices to have 10G SFP slots given that the throughput requirement is limited to 800 Mbps with all licenses activated?</p> <p>On the Branch devices there is a requirement for 10 virtual firewall licenses, are you planning to create virtual instances to logically separate inter-department traffic, if not can we exclude this requirement?</p>	<p><b>Maintain as is--- 10G SFP- Quote as is.</b></p> <p><b>Virtual instances can be excluded from the requirements.</b></p>
--	--	--

*Late bids will be rejected.*



**Isaac Odhiambo**  
**FOR: Ag. Manager/ Supply Chain Management**